```
=> file caplus
FILE 'CAPLUS' ENTERED AT 11:03:09 ON 18 MAY 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)
```



```
FILE COVERS 1907 - 18 May 2005  VOL 142 ISS 21
FILE LAST UPDATED: 17 May 2005  (20050517/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

  This file contains CAS Registry Numbers for easy and accurate
  substance identification.

=> d que
L1              STR
```



```
Structure attributes must be viewed using STN Express query preparation.
L3            54 SEA FILE=REGISTRY SSS FUL L1
L4             8 SEA FILE=CAPLUS L3


=> d l4 1-8 fbib abs hitstr

L4   ANSWER 1 OF 8  CAPLUS  COPYRIGHT 2005 ACS on STN
AN   2004:654777  CAPLUS
DN   141:190791
TI   Preparation of cycloalkyl-[4-(trifluorophenyl)-oxazol-5-yl]-triazolo-
     pyridines as potent inhibitors of MAP kinases, preferably p38 kinase
```

10/649,265

IN Dombroski, Mark A.; Letavic, Michael A.; McClure, Kim F.
PA Pfizer Inc, USA
SO U.S. Pat. Appl. Publ., 24 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
PI	US 2004157877	A1	20040812	US 2003-649216		20030827
				US 2002-407086P	P	20020830

OS MARPAT 141:190791
GI



I



II

AB The title compds. [I; R1 = F; s = 3; R2 = (un)substituted cycloalkyl] which are potent inhibitors of MAP kinases, preferably p38 kinase, and therefore useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders, were prepared E.g., a multi-step synthesis of II, starting from 2,5-dibromopyridine, was given. The pharmaceutical composition comprising the compound I is claimed.

IT **668990-95-2P 668990-96-3P**
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of cycloalkyl-[4-(trifluorophenyl)-oxazol-5-yl]-triazolo-pyridines as potent inhibitors of MAP kinases, preferably p38 kinase)

RN 668990-95-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-96-3 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylcyclopropyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2004:589283 CAPLUS
DN 141:140449
TI Preparation of novel crystalline forms of 3-isopropyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine.
IN Kang, Ming; Li, Zheng Jane; Li, Zhengong Bryan; Tao, Yong
PA Pfizer Inc, USA
SO U.S. Pat. Appl. Publ., 35 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004143119	A1	20040722	US 2003-649194	20030827
				US 2002-407158P P	20020830

AB Crystalline forms of 3-isopropyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine (I) having specified x-ray crystallog., 13C solid state NMR, and differential scanning calorimetry data were prepared Thus, N-α-tosyl-(2,5-difluorobenzyl)isocyanide (preparation given), 3-isopropyl-1,2,4-triazolo[4,3-a]pyridine-6-carboxaldehyde (preparation given), and K2CO3 were refluxed together for 22 h in MeCN to give 61% I. This was triturated in EtOAc/hexane followed by drying in vacuo at 40° for 48 h to give I form A.
IT **668981-02-0P**
RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)

(preparation of novel crystalline forms of isopropyldifluorophenyloxazolyltriazol opyridine)

RN 668981-02-0 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



IT **668981-04-2P 668981-05-3P 668981-07-5P**

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of novel crystalline forms of isopropyldifluorophenyloxazolyltriazol opyridine)

RN 668981-04-2 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 668981-05-3 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0

CMF C18 H14 F2 N4 O



CM 2

CRN 75-75-2
CMF C H4 O3 S



RN 668981-07-5 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 7664-93-9
CMF H2 O4 S



L4 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2004:392324 CAPLUS
DN 140:406810
TI Preparation of alkyl-[4-(difluorophenyl)-oxazol-5-yl]-triazolopyridines as MAP kinases, in particular p38 kinase inhibitors
IN Dombroski, Mark A.; Letavic, Michael A.; McClure, Kim F.
PA Pfizer Inc, USA
SO U.S. Pat. Appl. Publ., 31 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004092547	A1	20040513	US 2003-649227	20030827
			US 2002-407088P P	20020830

OS MARPAT 140:406810
GI



I



II

AB Title compds. I [wherein R1 = F; n = 2; R2 = alkyl, optionally substituted by halo, OH, alkoxy, and alkoxycarbonyl; with certain compds. absent; their pharmaceutically acceptable salts] were prepared as potent inhibitors of MAP kinases, preferably p38 kinase. For example, II was prepared by Pd-cross coupling of 6-(4-bromooxazol-5-yl)-3-isopropyl-[1,2,4]-triazolo[4,3-a]pyridine (preparation given) with 2,5-difluoroboronic acid in the presence of TEA/EtOH/H2O. Selected I had an IC50 <10 μM in the TNF-α and MAPKAP in vitro assays, and an EC50 <50 mg/kg in the in vivo TNFα assay. I are useful for treating inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders.
IT **668981-02-0P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine
RL: PAC (Pharmacological activity); PRP (Properties); PUR (Purification or recovery); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(p38 kinase inhibitor; preparation of alkyldifluorophenyloxazolyltriazolopyridines as MAP kinases, in particular p38 kinase inhibitors)
RN 668981-02-0 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



IT **459448-00-1P**, 6-[4-(3,4-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **668981-03-1P**, 6-[4-(2,6-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **668981-04-2P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine hydrochloride **668981-05-3P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine methanesulfonate **668981-06-4P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine p-toluenesulfonate **668981-07-5P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine sulfate **668990-77-0P**, 3-tert-Butyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-78-1P**, 3-tert-Butyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-97-4P**, 3-Isopropyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(p38 kinase inhibitor; preparation of alkyldifluorophenyloxazolyltriazolopyridines as MAP kinases, in particular p38 kinase inhibitors)

RN 459448-00-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3,4-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 668981-03-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,6-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 668981-04-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 668981-05-3 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 75-75-2
CMF C H4 O3 S



RN 668981-06-4 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, mono(4-methylbenzenesulfonate) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 104-15-4
CMF C7 H8 O3 S



RN 668981-07-5 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 7664-93-9
CMF H2 O4 S



RN 668990-77-0 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)



RN 668990-78-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)



RN 668990-97-4 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



L4 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2004:372880 CAPLUS
DN 140:391284
TI Preparation of cycloalkyl-[4-(difluorophenyl)-oxazol-5-yl]-triazolo-pyridines as potent inhibitors of MAP kinases, preferably p38 kinase
IN Dombroski, Mark A.; Letavic, Michael A.; McClure, Kim F.
PA Pfizer Inc, USA
SO U.S. Pat. Appl. Publ., 24 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI US 2004087615	A1	20040506	US 2003-649255	20030827
			US 2002-407489P P	20020830

OS MARPAT 140:391284
GI



I



II

AB The title compds. [I; R1 = F; s = 2; R2 = (un)substituted cycloalkyl] which are potent inhibitors of MAP kinases, preferably p38 kinase, and therefore useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders, were prepared E.g., a multi-step synthesis of II, starting from 2,5-dibromopyridine, was given.

The pharmaceutical composition comprising the compound I is claimed.

IT **668990-79-2P**, 3-Cyclopropyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of cycloalkyl-[4-(difluorophenyl)-oxazol-5-yl]-triazolo-pyridines as potent inhibitors of MAP kinases, preferably p38 kinase)

RN 668990-79-2 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,4-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



IT **668990-83-8P**, 3-Cyclopropyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine **668990-84-9P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-(1-methylcyclopropyl)[1,2,4]triazolo[4,3-a]pyridine **668990-85-0P**, 6-[4-(2,4-Difluorophenyl)oxazol-5-yl]-3-(1-methylcyclopropyl)[1,2,4]triazolo[4,3-a]pyridine **668990-86-1P**, 3-Cyclobutyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of cycloalkyl-[4-(difluorophenyl)-oxazol-5-yl]-triazolo-pyridines as potent inhibitors of MAP kinases, preferably p38 kinase)

RN 668990-83-8 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,5-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-84-9 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylcyclopropyl)- (9CI) (CA INDEX NAME)



RN 668990-85-0 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1-methylcyclopropyl)- (9CI) (CA INDEX NAME)



RN 668990-86-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(2,5-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2004:331789 CAPLUS
DN 140:357352
TI Preparation of 3-alkyl-6-[4-(trifluorophenyl)-oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridines as potent inhibitors of MAP kinases
IN Dombroski, Mark A.; Letavic, Michael A.; McClure, Kim F.
PA Pfizer Inc, USA
SO U.S. Pat. Appl. Publ., 25 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
PI	US 2004077682	A1	20040422	US 2003-649265		20030827
				US 2002-407089P	P	20020830

OS MARPAT 140:357352

GI



I



II

AB The title compds. [I; R1 = F; s = 3; R2 = alkyl optionally substituted by halo, OH, alkoxy, etc.] which are potent inhibitors of MAP kinases, preferably p38 kinase, were prepared Thus, reacting [α-(p-toluenesulfonyl)-2,4,5-trifluorobenzyl]isonitrile with 3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine-6-carboxaldehyde (prepns. given) in the presence of K2CO3 in MeCN at 70°C for 22 h afforded 48% II. All compds. I that were tested had an IC50 of <10 μM in the TNFα and MAPKAP in vitro assays and ED50 of <50 mg/kg in the in vivo TNFα assay. The compds. I are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders. The pharmaceutical composition comprising the compound I is claimed.

IT **668990-87-2P 668990-90-7P 668990-91-8P**
668990-92-9P 668990-93-0P 668990-94-1P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of 3-alkyl-6-[4-(trifluorophenyl)-oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridines as potent inhibitors of MAP kinases)

RN 668990-87-2 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-90-7 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,3,4-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-91-8 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,3,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-92-9 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,4,6-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-93-0 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(3,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-94-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1,1-dimethylethyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2004:203834 CAPLUS
DN 140:235722
TI Preparation of 6-[4-(di- or trifluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine as inhibitors of mitogen-activated protein (MAP) kinases
IN Dombroski, Mark Anthony; Letavic, Michael Anthony; McClure, Kim Francis
PA Pfizer Products Inc., USA
SO PCT Int. Appl., 87 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004020440	A1	20040311	WO 2003-IB3847	20030819
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
				US 2002-407177P	P 20020830
	US 2004053958	A1	20040318	US 2003-649236	20030827
				US 2002-407177P	P 20020830

OS MARPAT 140:235722
GI



I

AB The present invention relates to novel triazolo-pyridines of the formula (I) [wherein R1 is fluoro; m = 2,3; R2 is C3-6 cycloalkyl optionally substituted by one or two moieties independently selected from the group consisting of halo, C1-4 alkyl, hydroxy, C1-6 alkoxy and C1-6 alkyl-CO-O; or R2 is C1-6 alkyl optionally substituted by one or two moieties independently selected from the group consisting of halo, C1-6 alkyl, hydroxy, C1-6 alkoxy and C1-6 alkyl-CO-O; with the proviso that said compound of this formula cannot be 6-[4-(2,4-difluorophenyl)-oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine or 6-[4-(3,4-difluorophenyl)-oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine] or pharmaceutically acceptable salt thereof; to intermediates for their preparation, and to pharmaceutical compns. containing them and to their medicinal use. The compds. I are potent inhibitors of mitogen-activated protein (MAP) kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders. Thus, a mixture of [α-(p-toluenesulfonyl)-2,6-difluorobenzyl]isonitrile (1.79 g, 5.84 mmol), 3-isopropyl-[1,2,4]triazolo[4,3-a]-6-pyridinecarboxaldehyde > (1.10 g, 5.84 mmol), potassium carbonate (1.05 g, 7.59 mmol) and acetonitrile (17.5 mL) was refluxed for 22 h to give, after workup and silica gel chromatog., 6-[4-(2,6-difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine as a yellow solid. A tablet formulation containing 6-[4-(2,5-difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine was prepared, which can be administered to a human from one to four times a day for inhibiting cartilage damage or treating osteoarthritis.

IT **668981-02-0P**
RL: PAC (Pharmacological activity); PRP (Properties); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(X-ray crystalog. data and polymorphism; preparation of [(di- and trifluorophenyl)oxazolyl]triazolopyridine as p38 kinase inhibitors and therapeutic agents)

RN 668981-02-0 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



IT **668990-79-2P**, 3-Cyclopropyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(intermediate; preparation of [(di- and trifluorophenyl)oxazolyl]triazolopyridine as p38 kinase inhibitors and therapeutic agents)
RN 668990-79-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,4-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



IT **668981-03-1P**, 6-[4-(2,6-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **668981-04-2P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine hydrochloride **668981-05-3P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine methanesulfonate **668981-06-4P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine p-toluenesulfonate **668981-07-5P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine sulfate **668990-77-0P**, 3-tert-Butyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-78-1P**, 3-tert-Butyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine **668990-83-8P**, 3-Cyclopropyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine **668990-84-9P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-(1-methylcyclopropyl)-[1,2,4]triazolo[4,3-a]pyridine **668990-85-0P**, 6-[4-(2,4-Difluorophenyl)oxazol-5-yl]-3-(1-methylcyclopropyl)-[1,2,4]triazolo[4,3-a]pyridine **668990-86-1P**, 3-Cyclobutyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-87-2P**, 3-Isopropyl-6-[4-(2,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-90-7P**, 3-Isopropyl-6-[4-(2,3,4-trifluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine **668990-91-8P**,

3-Isopropyl-6-[4-(2,3,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-92-9P**, 3-Isopropyl-6-[4-(2,4,6-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-93-0P**, 3-Isopropyl-6-[4-(3,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-94-1P**, 3-tert-Butyl-6-[4-(2,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-95-2P**, 3-Cyclopropyl-6-[4-(2,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-96-3P**, 3-(1-Methylcyclopropyl)-6-[4-(2,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-97-4P**, 3-Isopropyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of [(di- and trifluorophenyl)oxazolyl]triazolopyridine as p38 kinase inhibitors and therapeutic agents)

RN 668981-03-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,6-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 668981-04-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 668981-05-3 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 75-75-2
CMF C H4 O3 S



RN 668981-06-4 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, mono(4-methylbenzenesulfonate) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 104-15-4
CMF C7 H8 O3 S



RN 668981-07-5 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 7664-93-9
CMF H2 O4 S



RN 668990-77-0 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)



RN 668990-78-1 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)



RN 668990-83-8 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,5-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-84-9 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylcyclopropyl)- (9CI) (CA INDEX NAME)



RN 668990-85-0 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1-methylcyclopropyl)- (9CI) (CA INDEX NAME)



RN 668990-86-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(2,5-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-87-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-90-7 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,3,4-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-91-8 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,3,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-92-9 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,4,6-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-93-0 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(3,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-94-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1,1-dimethylethyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-95-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-96-3 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylcyclopropyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-97-4 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2004:203832 CAPLUS
DN 140:235721
TI Novel processes and intermediates for preparing [1,2,4]triazolo[4,3-a]pyridines
IN Buzon, Richard Allen Sr.; Castaldi, Michael James; Li, Zhengong Bryan; Ripin, David Harold Brown; Tao, Yong
PA Pfizer Products Inc., USA
SO PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004020438	A2	20040311	WO 2003-IB3669	20030818
	WO 2004020438	A3	20040722		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,

BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

US 2002-407085P P 20020830
US 2004053959 A1 20040318 US 2003-649247 20030827
US 2002-407085P P 20020830

OS CASREACT 140:235721; MARPAT 140:235721

GI



I



II



III

AB The present invention relates and intermediates to a novel process for preparing triazolo-pyridines of the formula (I) [R1 = H, cyano, each (un)substituted C1-6 alkyl, C2-6 alkenyl, C2-6 alkynyl, C3-10 cycloalkyl, Ph, C1-10 heteroaryl, C1-10 heterocyclyl or NH2; R3 = halo, C1-6 alkyl, C2-6 alkenyl, C2-6 alkynyl, perhalo-C1-6 alkyl, Ph, C1-10 heteroaryl, C1-10 heterocyclyl, C3-10 cycloalkyl, HO, C1-6 alkoxy, perhalo-C1-10 alkoxy, PhO, C1-10 heteroaryloxy, C1-10 heterocyclyloxy-C3-10 cycloalkyloxy, C1-6 alkylthio, C1-16 alkylsulfonyl, C1-6 alkylsulfamoyl, amino, mono - or di(C1-6 alkyl)amino, C1-6 sulfonylamino, C1-6 alkyl-carbonylamino, etc.; or two adjacent R2 taken together with the carbon atoms to which they are attached to form a five to six membered carbocyclic or heterocyclic ring; m = an integer from 0-5; R4 = H, F, Cl, R5-B-(CH2)n-; n = n integer from 0-6; B = a bond, (CHR6), O, S, SO2, CO, O-CO, CO-O, CO-NR6, R6N, R6NSO2, R6NCO, SO2NR6, R6NCONR7, O-CONR6 or R6NCO-O; R5 = H, CF3, cyano, each (un)substituted Ph, C1-10 heterocyclyl, C1-10 heteroaryl, or C3-10 cycloalkyl, etc.; R6 = H, C1-6 alkylsulfonyl, C1-6 alkyl] or acceptable salts thereof, e.g., comprising reacting 6-(oxazol-5-yl)[1,2,4]triazolo[4,3-a]pyridines (II) (L = a leaving group and R1 and R4 are as defined above) with phenylboronoic acids (III) and a transition metal catalyst. The compds. I prepared by the methods of the present invention are potent inhibitors of mitogen-activated protein (MAP) kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders. Thus, 6-(4-bromooxazol-5-yl)-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine (33.0 g, 0.107 mol), 2,5-difluorophenylboronic acid (25.34 g, 0.1605 mol), Pd(PPh3)4 (12.36 g, 0.0107 mol), Et3N (22.37 mL, 0.1605 mol), 2B ethanol (495 mL), and water (33 mL), were added to a 2 L 4 neck round bottom flask (equipped with mech. stirring, nitrogen, heating mantle, temperature controller, and a condenser), stirred while heating to 65 to 70°, and kept stirring overnight at .apprx.70°. Two addnl. difluorophenylboronic acid (8.5 g, 0.054 mol) and Et3N (7.53 mL, 0.054

mol), were added and each time the reaction was allowed to proceed overnight at 70°. Toluene (30 mL) was added and the reaction was allowed to go overnight once again at 70°, treated with H2O (495 mL), and pot-granulated for 4 h at 20 to 25°. The solids were collected by vacuum filtration, washed with 2B ethanol/H2O (50:50) (25 mL of each), and dried in a vacuum oven at 45° for 4 ho under full vacuum to afford 14.4 g 3-isopropyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine (40.6% yield, 93.4% purity by HPLC).

IT **668981-02-0P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine
RL: IMF (Industrial manufacture); PAC (Pharmacological activity); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of triazolopyridines as p38 kinase inhibitors by Suzuki coupling of phenylboronic acid with (bromooxazolyl)triazolopyridine derivative or cyclocondensation of α-tosylbenzyl isonitrile with triazolopyridinecarboxaldehyde)

RN 668981-02-0 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



IT **668981-03-1P**, 6-[4-(2,6-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **668981-04-2P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine hydrochloride **668981-05-3P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine methanesulfonate **668981-06-4P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine p-toluenesulfonate **668981-07-5P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine sulfate
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of triazolopyridines as p38 kinase inhibitors by Suzuki coupling of phenylboronic acid with (bromooxazolyl)triazolopyridine derivative or cyclocondensation of α-tosylbenzyl isonitrile with triazolopyridinecarboxaldehyde)

RN 668981-03-1 CAPLUS

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,6-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 668981-04-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 668981-05-3 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 75-75-2
CMF C H4 O3 S



RN 668981-06-4 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, mono(4-methylbenzenesulfonate) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 104-15-4
CMF C7 H8 O3 S



RN 668981-07-5 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 7664-93-9
CMF H2 O4 S



L4 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2002:716275 CAPLUS
DN 137:232658
TI Preparation of 6-(phenylheterocyclyl)-[1,2,4]triazolo[4,3-a]pyridines as anti-inflammatory agents
IN Dombroski, Mark Anthony; Duplantier, Allen Jacob; Laird, Ellen Ruth; Letavic, Michael Anthony; McClure, Kim Francis
PA Pfizer Products Inc., USA
SO PCT Int. Appl., 111 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2002072579	A1	20020919	WO 2002-IB424	20020208
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
			US 2001-274840P	P 20010309
CA 2440222	AA	20020919	CA 2002-2440222	20020208
			US 2001-274840P	P 20010309
			WO 2002-IB424	W 20020208
EP 1370559	A1	20031217	EP 2002-710260	20020208
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
			US 2001-274840P	P 20010309

			WO 2002-IB424	W	20020208
EE 200300437	A	20040216	EE 2003-437		20020208
			US 2001-274840P	P	20010309
			WO 2002-IB424	W	20020208
BR 2002007990	A	20040427	BR 2002-7990		20020208
			US 2001-274840P	P	20010309
			WO 2002-IB424	W	20020208
JP 2004522799	T2	20040729	JP 2002-571495		20020208
			US 2001-274840P	P	20010309
			WO 2002-IB424	W	20020208
NZ 526528	A	20050225	NZ 2002-526528		20020208
			US 2001-274840P	P	20010309
			WO 2002-IB424	W	20020208
US 2003096838	A1	20030522	US 2002-94760		20020311
US 6696464	B2	20040224			
			US 2001-274840P	P	20010309
ZA 2003004983	A	20040629	ZA 2003-4983		20030626
			US 2001-274840P	P	20010309
BG 108133	A	20040930	BG 2003-108133		20030825
			US 2001-274840P	P	20010309
			WO 2002-IB424	W	20020208
NO 2003003969	A	20031013	NO 2003-3969		20030908
			US 2001-274840P	P	20010309
			WO 2002-IB424	W	20020208

OS MARPAT 137:232658

GI



I



II

AB Title compds. I [wherein Het = (un)substituted pyrrolyl, imidazolyl, pyrazolyl, oxazolyl, isoxazolyl, thiazolyl, or isothiazolyl; R2 = H, alkenyl, alkynyl, or (un)substituted (cyclo)alkyl, Ph, heteroaryl, or heterocyclyl, or amino; R3 = halo, (cyclo)alkyl(oxy), (perhalo)alkyl, alkenyl, alkynyl, Ph, heteroaryl(oxy), heterocyclyl(oxy), OH, (perhalo)alkoxy, PhO, alkylthio, alkylsulfonyl, alkylaminosulfonyl, NO2, (un)substituted amino, carbamoyl, etc.; n = 0-5; or pharmaceutically acceptable salts thereof] were prepared as potent inhibitors of MAP kinases, preferably p38 kinase (no data). For example, 6-chloronicotinic acid was condensed with N,O-dimethylhydroxylamine•HCl (96%). Treatment of the amide with (i-Bu)2AlH gave the aldehyde (24%), which was coupled with (phenyl)(p-tolylsulfonyl)methylisocyanide to afforded 2-chloro-5-(4-phenyloxazol-5-yl)pyridine (71%). Conversion to the hydrazine (100%), followed by coupling with isobutyryl chloride and cyclization using POCl3 (32%), produced II. I are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases, and other disorders (no data).

IT **459447-61-1P**, 3-Isopropyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-64-4P**, 3-Ethyl-6-(4-m-tolyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-66-6P**, 3-Cyclopropyl-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-67-7P**, 3-Cyclobutyl-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-

a]pyridine **459447-69-9P**, 3-Difluoromethyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-71-3P**, 3-(Isoxazol-5-yl)-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-72-4P**, 6-(4-Phenyloxazol-5-yl)-3-(2,2,2-trifluoroethyl)-[1,2,4]triazolo[4,3-a]pyridine **459447-73-5P**, 3-Cyclobutyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-74-6P**, 3-Cyclopropyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-75-7P**, 3-Ethyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-76-8P**, 3-Ethyl-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-77-9P**, 6-[4-(4-Fluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **459447-78-0P**, 3-Cyclobutyl-6-(4-m-tolyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-79-1P**, 3-Isopropyl-6-(4-m-tolyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-80-4P**, 6-[4-(4-Fluoro-3-methylphenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **459447-82-6P**, 3-Cyclopropyl-6-[4-(4-fluoro-3-methylphenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-83-7P**, 6-[4-(4-Fluorophenyl)oxazol-5-yl]-3-phenyl-[1,2,4]triazolo[4,3-a]pyridine **459447-84-8P**, 3-Isopropyl-6-(2-methyl-4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-88-2P**, 6-[4-(4-Fluorophenyl)-2-methyloxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]-pyridine **459447-89-3P**, [6-[4-(4-Fluorophenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridin-3-yl]acetic acid ethyl ester **459447-90-6P**, 3-(2-Chlorophenyl)-6-[4-(m-tolyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459447-91-7P**, 6-[4-(2-Fluoro-5-methylphenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459447-92-8P 459447-93-9P**, 3-(2-Fluorophenyl)-6-[4-(m-tolyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459447-94-0P**, [6-[4-(4-Fluorophenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridin-3-yl]dimethylamine **459447-95-1P**, 6-[4-(4-Fluoro-3-methylphenyl)oxazol-5-yl]-3-phenyl-[1,2,4]triazol[4,3-a]pyridine **459447-96-2P**, 6-[4-(3-Chloro-4-fluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine **459447-97-3P**, 6-[4-(3-Fluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine **459447-98-4P**, 3-(2-Chlorophenyl)-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459448-00-1P**, 6-[4-(3,4-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine **459448-01-2P**, 6-[4-(4-Fluorophenyl)-2-methyloxazol-5-yl]-3-phenyl-[1,2,4]triazol[4,3-a]pyridine **459448-02-3P**, 6-[4-(3-Fluorophenyl)oxazol-5-yl]-3-phenyl-[1,2,4]triazol[4,3-a]pyridine
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(anti-inflammatory agent; preparation of (phenylheterocyclyl)triazolopyridines as anti-inflammatory agents)

RN 459447-61-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-(4-phenyl-5-oxazolyl)-(9CI) (CA INDEX NAME)



RN 459447-64-4 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-ethyl-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-66-6 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-67-7 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-69-9 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(difluoromethyl)-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-71-3 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(5-isoxazolyl)-6-(4-phenyl-5-oxazolyl)-(9CI) (CA INDEX NAME)



RN 459447-72-4 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-(4-phenyl-5-oxazolyl)-3-(2,2,2-trifluoroethyl)- (9CI) (CA INDEX NAME)



RN 459447-73-5 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-74-6 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-(4-phenyl-5-oxazolyl)-(9CI) (CA INDEX NAME)



RN 459447-75-7 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-ethyl-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-76-8 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-ethyl-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-77-9 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-78-0 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(3-methylphenyl)-5-

oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-79-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-80-4 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluoro-3-methylphenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-82-6 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(4-fluoro-3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-83-7 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RN 459447-84-8 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-(2-methyl-4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-88-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-2-methyl-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-89-3 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine-3-acetic acid, 6-[4-(4-fluorophenyl)-5-oxazolyl]-, ethyl ester (9CI) (CA INDEX NAME)



RN 459447-90-6 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(2-chlorophenyl)-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-91-7 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2-fluoro-5-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-92-8 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-3-(2-methylphenyl)- (9CI) (CA INDEX NAME)



RN 459447-93-9 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(2-fluorophenyl)-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-94-0 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridin-3-amine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-N,N-dimethyl- (9CI) (CA INDEX NAME)



RN 459447-95-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluoro-3-methylphenyl)-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RN 459447-96-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3-chloro-4-fluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-97-3 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3-fluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-98-4 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(2-chlorophenyl)-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459448-00-1 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3,4-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459448-01-2 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-2-methyl-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RN 459448-02-3 CAPLUS
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3-fluorophenyl)-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> => file uspatall
FILE 'USPATFULL' ENTERED AT 11:04:12 ON 18 MAY 2005
CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 11:04:12 ON 18 MAY 2005
CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

=> d que
L1 STR



Structure attributes must be viewed using STN Express query preparation.
L3 54 SEA FILE=REGISTRY SSS FUL L1
L5 9 SEA L3

=> d l5 1-9 ibib abs hitstr

L5 ANSWER 1 OF 9 USPATFULL on STN
ACCESSION NUMBER: 2004:203985 USPATFULL
TITLE: Cycloalkyl-[4-(trifluorophenyl)-oxazol-5yl]-triazolo-pyridines
INVENTOR(S): Dombroski, Mark A., Waterford, CT, UNITED STATES
Letavic, Michael A., Mystic, CT, UNITED STATES
McClure, Kim F., Mystic, CT, UNITED STATES
PATENT ASSIGNEE(S): Pfizer Inc (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2004157877	A1	20040812
APPLICATION INFO.:	US 2003-649216	A1	20030827 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2002-407086P	20020830 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: PFIZER INC, 150 EAST 42ND STREET, 5TH FLOOR - STOP 49, NEW YORK, NY, 10017-5612
NUMBER OF CLAIMS: 16
EXEMPLARY CLAIM: 1
LINE COUNT: 1915
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB The present invention relates to novel cycloalkyl-[4-(trifluorophenyl)-oxazol-5-yl]-triazolo-pyridines, to intermediates for their preparation, to pharmaceutical compositions containing them and to their medicinal use. The compounds of the present invention are potent inhibitors of MAP kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion

or ischemia in stroke or heart attack, autoimmune diseases and other disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **668990-95-2P 668990-96-3P**
(preparation of cycloalkyl-[4-(trifluorophenyl)-oxazol-5-yl]-triazolo-pyridines as potent inhibitors of MAP kinases, preferably p38 kinase)

RN 668990-95-2 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-96-3 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylcyclopropyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



L5 ANSWER 2 OF 9 USPATFULL on STN

ACCESSION NUMBER: 2004:185233 USPATFULL

TITLE: Novel crystalline forms of 3-isopropyl-6-[4-(2,5-difluoro-phenyl)-oxazol-5-yl]-[1,2,4]triazolo-[4,3-A]pyridine

INVENTOR(S): Kang, Ming, Salem, CT, UNITED STATES
Li, Zheng Jane, Quaker Hill, CT, UNITED STATES
Li, Zhengong Bryan, East Lyme, CT, UNITED STATES
Tao, Yong, Salem, CT, UNITED STATES

PATENT ASSIGNEE(S): Pfizer Inc (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2004143119	A1	20040722	
APPLICATION INFO.:	US 2003-649194	A1	20030827	(10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2002-407158P	20020830 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	PFIZER INC, 150 EAST 42ND STREET, 5TH FLOOR - STOP 49, NEW YORK, NY, 10017-5612	
NUMBER OF CLAIMS:	22	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	16 Drawing Page(s)	
LINE COUNT:	1576	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to novel crystalline forms of 3-isopropyl-6-[4-(2,5-difluoro-phenyl)-oxazol-5-yl]-[1,2,4]triazolo-[4,3-a]pyridine to pharmaceutical compositions containing such crystal forms and to methods of treatment. 3-Isopropyl-6-[4-(2,5-difluoro-phenyl)-oxazol-5-yl]-[1,2,4]triazolo-[4,3-a]pyridine is a potent inhibitor of MAP kinases, preferably p38 kinase (MAPK14/CSBP/RK kinase). 3-Isopropyl-6-[4-(2,5-difluoro-phenyl)-oxazol-5-yl]-[1,2,4]triazolo-[4,3-a]pyridine is useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **668981-02-0P**
(preparation of novel crystalline forms of isopropyldifluorophenyloxazolyltriazolopyridine)

RN 668981-02-0 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



IT **668981-04-2P 668981-05-3P 668981-07-5P**
(preparation of novel crystalline forms of isopropyldifluorophenyloxazolyltriazolopyridine)

RN 668981-04-2 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 668981-05-3 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 75-75-2
CMF C H4 O3 S



RN 668981-07-5 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 7664-93-9
CMF H2 O4 S



L5 ANSWER 3 OF 9 USPATFULL on STN

ACCESSION NUMBER:	2004:121131 USPATFULL
TITLE:	Alkyl-[4-(difluorophenyl)-oxazol-5-yl]-triazolo-pyridines
INVENTOR(S):	Dombroski, Mark A., Waterford, CT, UNITED STATES Letavic, Michael A., Mystic, CT, UNITED STATES McClure, Kim F., Mystic, CT, UNITED STATES
PATENT ASSIGNEE(S):	Pfizer Inc (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2004092547	A1	20040513	
APPLICATION INFO.:	US 2003-649227	A1	20030827	(10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2002-407088P	20020830 (60)

DOCUMENT TYPE:	Utility
FILE SEGMENT:	APPLICATION
LEGAL REPRESENTATIVE:	PFIZER INC, 150 EAST 42ND STREET, 5TH FLOOR - STOP 49, NEW YORK, NY, 10017-5612
NUMBER OF CLAIMS:	15
EXEMPLARY CLAIM:	1
LINE COUNT:	2480

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to novel alkyl-[4-(difluorophenyl)-oxazol-5-yl]-triazolo-pyridines, to intermediates for their preparation, to pharmaceutical compositions containing them and to their medicinal use. The compounds of the present invention are potent inhibitors of MAP kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **668981-02-0P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine
(p38 kinase inhibitor; preparation of alkyldifluorophenyloxazolyltriazolopyridines as MAP kinases, in particular p38 kinase inhibitors)

RN 668981-02-0 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



IT **459448-00-1P**, 6-[4-(3,4-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **668981-03-1P**, 6-[4-(2,6-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **668981-04-2P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine hydrochloride **668981-05-3P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine methanesulfonate **668981-06-4P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine p-toluenesulfonate **668981-07-5P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine sulfate **668990-77-0P**, 3-tert-Butyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-78-1P**, 3-tert-Butyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-97-4P**, 3-Isopropyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine
(p38 kinase inhibitor; preparation of alkyldifluorophenyloxazolyltriazolopyridines as MAP kinases, in particular p38 kinase inhibitors)

RN 459448-00-1 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3,4-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 668981-03-1 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,6-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 668981-04-2 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 668981-05-3 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 75-75-2
CMF C H4 O3 S



RN 668981-06-4 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, mono(4-methylbenzenesulfonate) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 104-15-4
CMF C7 H8 O3 S



RN 668981-07-5 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 7664-93-9
CMF H2 O4 S



RN 668990-77-0 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)



RN 668990-78-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)



RN 668990-97-4 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



L5 ANSWER 4 OF 9 USPATFULL on STN

ACCESSION NUMBER:	2004:114769 USPATFULL
TITLE:	Cycloalkyl-[4-(difluorophenyl)-oxazol-5-yl]-triazolo-pyridines
INVENTOR(S):	Dombroski, Mark A., Waterford, CT, UNITED STATES Letavic, Michael A., Mystic, CT, UNITED STATES McClure, Kim F., Mystic, CT, UNITED STATES
PATENT ASSIGNEE(S):	Pfizer Inc (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2004087615	A1	20040506	
APPLICATION INFO.:	US 2003-649255	A1	20030827	(10)

	NUMBER	DATE	
PRIORITY INFORMATION:	US 2002-407489P	20020830	(60)

DOCUMENT TYPE:	Utility
FILE SEGMENT:	APPLICATION
LEGAL REPRESENTATIVE:	PFIZER INC, 150 EAST 42ND STREET, 5TH FLOOR - STOP 49, NEW YORK, NY, 10017-5612
NUMBER OF CLAIMS:	17
EXEMPLARY CLAIM:	1
LINE COUNT:	1952

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to novel cycloalkyl-[4-(difluorophenyl)-oxazol-5-yl]triazolo-pyridines, to intermediates for their preparation, to pharmaceutical compositions containing them and to their medicinal use. The compounds of the present invention are potent inhibitors of MAP kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **668990-79-2P**, 3-Cyclopropyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine
(preparation of cycloalkyl-[4-(difluorophenyl)-oxazol-5-yl]-triazolo-pyridines as potent inhibitors of MAP kinases, preferably p38 kinase)

RN 668990-79-2 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,4-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



IT **668990-83-8P**, 3-Cyclopropyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine **668990-84-9P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-(1-methylcyclopropyl)[1,2,4]triazolo[4,3-a]pyridine **668990-85-0P**, 6-[4-(2,4-Difluorophenyl)oxazol-5-yl]-3-(1-methylcyclopropyl)[1,2,4]triazolo[4,3-a]pyridine **668990-86-1P**, 3-Cyclobutyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine
(preparation of cycloalkyl-[4-(difluorophenyl)-oxazol-5-yl]-triazolo-pyridines as potent inhibitors of MAP kinases, preferably p38 kinase)

RN 668990-83-8 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,5-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-84-9 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylcyclopropyl)- (9CI) (CA INDEX NAME)



RN 668990-85-0 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1-methylcyclopropyl)- (9CI) (CA INDEX NAME)



RN 668990-86-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(2,5-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



L5 ANSWER 5 OF 9 USPATFULL on STN

ACCESSION NUMBER:	2004:101812 USPATFULL
TITLE:	Alkyl-[4-(trifluorophenyl)-oxazol-5-yl]-triazolo-pyridines
INVENTOR(S):	Dombroski, Mark A., Waterford, CT, UNITED STATES Letavic, Michael A., Mystic, CT, UNITED STATES McClure, Kim F., Mystic, CT, UNITED STATES
PATENT ASSIGNEE(S):	Pfizer Inc (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2004077682	A1	20040422
APPLICATION INFO.:	US 2003-649265	A1	20030827 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2002-407089P	20020830 (60)

DOCUMENT TYPE:	Utility
FILE SEGMENT:	APPLICATION
LEGAL REPRESENTATIVE:	PFIZER INC, 150 EAST 42ND STREET, 5TH FLOOR - STOP 49, NEW YORK, NY, 10017-5612
NUMBER OF CLAIMS:	16
EXEMPLARY CLAIM:	1
LINE COUNT:	1942

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to novel alkyl-[4-(trifluorophenyl)-oxazol-5-yl]-triazolo-pyridines, to intermediates and methods for their preparation, to pharmaceutical compositions containing them and to their medicinal use. The compounds of the present invention are potent

inhibitors of MAP kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **668990-87-2P 668990-90-7P 668990-91-8P**
668990-92-9P 668990-93-0P 668990-94-1P
(preparation of 3-alkyl-6-[4-(trifluorophenyl)-oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridines as potent inhibitors of MAP kinases)

RN 668990-87-2 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-90-7 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,3,4-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-91-8 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,3,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-92-9 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,4,6-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-93-0 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(3,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-94-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1,1-dimethylethyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



L5 ANSWER 6 OF 9 USPATFULL on STN
ACCESSION NUMBER: 2004:70731 USPATFULL
TITLE: Novel processes and intermediates for preparing triazolo-pyridines
INVENTOR(S): Buzon, Richard A., SR., Stonington, CT, UNITED STATES
Castaldi, Michael J., Pawcatuck, CT, UNITED STATES

Li, Zhengong B., East Lyme, CT, UNITED STATES
Ripin, David H. B., Old Saybrook, CT, UNITED STATES
Tao, Yong, Salem, CT, UNITED STATES
PATENT ASSIGNEE(S): Pfizer Inc. (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2004053959	A1	20040318
APPLICATION INFO.:	US 2003-649247	A1	20030827 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	WO 2000-WO40243	20000713
	WO 2000-WO63204	20001026
	WO 2000-WO31065	20000602
	WO 2000-WO6563	20000210
	WO 2000-WO41698	20000720
	US 2002-407085P	20020830 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: PFIZER INC, 150 EAST 42ND STREET, 5TH FLOOR - STOP 49, NEW YORK, NY, 10017-5612
NUMBER OF CLAIMS: 48
EXEMPLARY CLAIM: 1
LINE COUNT: 3578
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates and intermediates to a novel process for preparing triazolo-pyridines of the formula I ##STR1##

wherein R.sup.1 is selected from the group consisting of hydrogen, (C.sub.1-C.sub.6)alkyl or other suitable substituents;

R.sup.3 is selected from the group consisting of hydrogen, (C.sub.1-C.sub.6)alkyl or other suitable substituents;

s is an integer from 0-5;

R.sup.4 is hydrogen or a suitable substituent and to intermediates for their preparation. The compounds prepared by the methods of the present invention are potent inhibitors of MAP kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, reperfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **668981-02-0P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine
(preparation of triazolopyridines as p38 kinase inhibitors by Suzuki coupling of phenylboronic acid with (bromooxazolyl)triazolopyridine derivative or cyclocondensation of α-tosylbenzyl isonitrile with triazolopyridinecarboxaldehyde)

RN 668981-02-0 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



IT **668981-03-1P**, 6-[4-(2,6-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **668981-04-2P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine hydrochloride **668981-05-3P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine methanesulfonate **668981-06-4P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine p-toluenesulfonate **668981-07-5P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine sulfate
(preparation of triazolopyridines as p38 kinase inhibitors by Suzuki coupling of phenylboronic acid with (bromooxazolyl)triazolopyridine derivative or cyclocondensation of α-tosylbenzyl isonitrile with triazolopyridinecarboxaldehyde)

RN 668981-03-1 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,6-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 668981-04-2 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 668981-05-3 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 75-75-2
CMF C H4 O3 S



RN 668981-06-4 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, mono(4-methylbenzenesulfonate) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 104-15-4
CMF C7 H8 O3 S



RN 668981-07-5 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 7664-93-9
CMF H2 O4 S



L5 ANSWER 7 OF 9 USPATFULL on STN
ACCESSION NUMBER: 2004:70730 USPATFULL
TITLE: Di and trifluoro-triazolo-pyridines anti-inflammatory compounds
INVENTOR(S): Dombroski, Mark A., Waterford, CT, UNITED STATES
Letavic, Michael A., Mystic, CT, UNITED STATES
McClure, Kim F., Mystic, CT, UNITED STATES
PATENT ASSIGNEE(S): Pfizer Inc. (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2004053958	A1	20040318	
APPLICATION INFO.:	US 2003-649236	A1	20030827	(10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2002-407177P	20020830 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	PFIZER INC, 150 EAST 42ND STREET, 5TH FLOOR - STOP 49, NEW YORK, NY, 10017-5612	
NUMBER OF CLAIMS:	33	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3038	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to novel triazolo-pyridines of the formula I ##STR1##

wherein R.sup.1 is fluoro;

s is an integer from two to three;

R.sup.2 is (C.sub.3-C.sub.6)cycloalkyl optionally substituted by one or two moieties independently selected from the group consisting of halo, (C.sub.1-C.sub.4)alkyl, hydroxy, (C.sub.1-C.sub.6)alkoxy and (C.sub.1-C.sub.6)alkyl-(C.dbd.O)--O--;

or R.sup.2 is (C.sub.1-C.sub.6)alkyl optionally substituted by one or two moieties independently selected from the group consisting of halo, (C.sub.1-C.sub.6)alkyl, hydroxy, (C.sub.1-C.sub.6)alkoxy and (C.sub.1-C.sub.6)alkyl-(C.dbd.O)--O--;

with the proviso that said compound of formula I cannot be

6-[4-(2,4-Difluoro-phenyl)-oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine; or

6-[4-(3,4-Difluoro-phenyl)-oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine;

to intermediates for their preparation, to pharmaceutical compositions containing them and to their medicinal use. The compounds of the present invention are potent inhibitors of MAP kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, repurfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **668981-02-0P**
(X-ray crystalog. data and polymorphism; preparation of [(di- and trifluorophenyl)oxazolyl]triazolopyridine as p38 kinase inhibitors and therapeutic agents)

RN 668981-02-0 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



IT **668990-79-2P**, 3-Cyclopropyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine
(intermediate; preparation of [(di- and trifluorophenyl)oxazolyl]triazolopyridine as p38 kinase inhibitors and therapeutic agents)
RN 668990-79-2 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,4-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



IT **668981-03-1P**, 6-[4-(2,6-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **668981-04-2P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine hydrochloride **668981-05-3P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine methanesulfonate **668981-06-4P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine p-toluenesulfonate **668981-07-5P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine sulfate **668990-77-0P**, 3-tert-Butyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-78-1P**, 3-tert-Butyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine **668990-83-8P**, 3-Cyclopropyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine **668990-84-9P**, 6-[4-(2,5-Difluorophenyl)oxazol-5-yl]-3-(1-methylcyclopropyl)-[1,2,4]triazolo[4,3-a]pyridine **668990-85-0P**, 6-[4-(2,4-Difluorophenyl)oxazol-5-yl]-3-(1-methylcyclopropyl)-[1,2,4]triazolo[4,3-a]pyridine **668990-86-1P**, 3-Cyclobutyl-6-[4-(2,5-difluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-87-2P**, 3-Isopropyl-6-[4-(2,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-90-7P**, 3-Isopropyl-6-[4-(2,3,4-trifluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine **668990-91-8P**, 3-Isopropyl-6-[4-(2,3,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-92-9P**, 3-Isopropyl-6-[4-(2,4,6-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine

668990-93-0P, 3-Isopropyl-6-[4-(3,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-94-1P**, 3-tert-Butyl-6-[4-(2,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-95-2P**, 3-Cyclopropyl-6-[4-(2,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-96-3P**, 3-(1-Methylcyclopropyl)-6-[4-(2,4,5-trifluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **668990-97-4P**, 3-Isopropyl-6-[4-(2,4-difluorophenyl)oxazol-5-yl][1,2,4]triazolo[4,3-a]pyridine
(preparation of [(di- and trifluorophenyl)oxazolyl]triazolopyridine as p38 kinase inhibitors and therapeutic agents)

RN 668981-03-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,6-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 668981-04-2 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 668981-05-3 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 75-75-2
CMF C H4 O3 S



RN 668981-06-4 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, mono(4-methylbenzenesulfonate) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 104-15-4
CMF C7 H8 O3 S



RN 668981-07-5 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 668981-02-0
CMF C18 H14 F2 N4 O



CM 2

CRN 7664-93-9
CMF H2 O4 S



RN 668990-77-0 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)



RN 668990-78-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)



RN 668990-83-8 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,5-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-84-9 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,5-difluorophenyl)-5-oxazolyl]-3-(1-methylcyclopropyl)- (9CI) (CA INDEX NAME)



RN 668990-85-0 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1-methylcyclopropyl)- (9CI) (CA INDEX NAME)



RN 668990-86-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(2,5-difluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-87-2 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-90-7 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,3,4-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-91-8 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,3,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-92-9 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(2,4,6-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-93-0 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(3,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-94-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1,1-dimethylethyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-95-2 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-96-3 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylcyclopropyl)-6-[4-(2,4,5-trifluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 668990-97-4 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2,4-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



L5 ANSWER 8 OF 9 USPATFULL on STN
ACCESSION NUMBER: 2003:140996 USPATFULL
TITLE: Novel triazolo-pyridines anti-inflammatory compounds
INVENTOR(S): McClure, Kim F., Mystic, CT, UNITED STATES
Letavic, Michael A., Mystic, CT, UNITED STATES
Dombroski, Mark A., Waterford, CT, UNITED STATES
Duplantier, Allen J., Ledyard, CT, UNITED STATES
Laird, Ellen R., Longmont, CO, UNITED STATES
PATENT ASSIGNEE(S): Pfizer Inc. (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2003096838	A1	20030522	
	US 6696464	B2	20040224	
APPLICATION INFO.:	US 2002-94760	A1	20020311	(10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2001-274840P	20010309 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: PFIZER INC, 150 EAST 42ND STREET, 5TH FLOOR - STOP 49, NEW YORK, NY, 10017-5612
NUMBER OF CLAIMS: 57
EXEMPLARY CLAIM: 1
LINE COUNT: 5372
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB The present invention relates to novel triazolo-pyridines of the formula

I ##STR1##

wherein Het is an optionally substituted 5-membered heterocycle containing one to two heteroatoms selected from nitrogen, sulfur and oxygen wherein at least one of said heteroatoms atoms must be nitrogen;

R.sup.2 is selected from the group consisting of hydrogen, (C.sub.1-C.sub.6)alkyl or other suitable substituents;

R.sup.3 is selected from the group consisting of hydrogen, (C.sub.1-C.sub.6)alkyl or other suitable substituents;

s is an integer from 0-5;

to intermediates for their preparation, to pharmaceutical compositions containing them and to their medicinal use. The compounds of the present invention are potent inhibitors of MAP kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, repurfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **459447-61-1P**, 3-Isopropyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-64-4P**, 3-Ethyl-6-(4-m-tolyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-66-6P**, 3-Cyclopropyl-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-67-7P**, 3-Cyclobutyl-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-69-9P**, 3-Difluoromethyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-71-3P**, 3-(Isoxazol-5-yl)-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-72-4P**, 6-(4-Phenyloxazol-5-yl)-3-(2,2,2-trifluoroethyl)-[1,2,4]triazolo[4,3-a]pyridine **459447-73-5P**, 3-Cyclobutyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-74-6P**, 3-Cyclopropyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-75-7P**, 3-Ethyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-76-8P**, 3-Ethyl-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-77-9P**, 6-[4-(4-Fluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **459447-78-0P**, 3-Cyclobutyl-6-(4-m-tolyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-79-1P**, 3-Isopropyl-6-(4-m-tolyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-80-4P**, 6-[4-(4-Fluoro-3-methylphenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **459447-82-6P**, 3-Cyclopropyl-6-[4-(4-fluoro-3-methylphenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-83-7P**, 6-[4-(4-Fluorophenyl)oxazol-5-yl]-3-phenyl-[1,2,4]triazolo[4,3-a]pyridine **459447-84-8P**, 3-Isopropyl-6-(2-methyl-4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-88-2P**, 6-[4-(4-Fluorophenyl)-2-methyloxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]-pyridine **459447-89-3P**, [6-[4-(4-Fluorophenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridin-3-yl]acetic acid ethyl ester **459447-90-6P**, 3-(2-Chlorophenyl)-6-[4-(m-tolyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459447-91-7P**, 6-[4-(2-Fluoro-5-methylphenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459447-92-8P** **459447-93-9P**, 3-(2-Fluorophenyl)-6-[4-(m-tolyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459447-94-0P**, [6-[4-(4-Fluorophenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridin-3-yl]dimethylamine **459447-95-1P**, 6-[4-(4-Fluoro-3-methylphenyl)oxazol-5-yl]-3-phenyl-[1,2,4]triazol[4,3-a]pyridine **459447-96-2P**, 6-[4-(3-Chloro-4-fluorophenyl)oxazol-5-

yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine **459447-97-3P**, 6-[4-(3-Fluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine **459447-98-4P**, 3-(2-Chlorophenyl)-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459448-00-1P**, 6-[4-(3,4-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine **459448-01-2P**, 6-[4-(4-Fluorophenyl)-2-methyloxazol-5-yl]-3-phenyl-[1,2,4]triazol[4,3-a]pyridine **459448-02-3P**, 6-[4-(3-Fluorophenyl)oxazol-5-yl]-3-phenyl-[1,2,4]triazol[4,3-a]pyridine
(anti-inflammatory agent; preparation of (phenylheterocyclyl)triazolopyridines as anti-inflammatory agents)

RN 459447-61-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-64-4 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-ethyl-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-66-6 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-67-7 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-69-9 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(difluoromethyl)-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-71-3 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(5-isoxazolyl)-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-72-4 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-(4-phenyl-5-oxazolyl)-3-(2,2,2-trifluoroethyl)- (9CI) (CA INDEX NAME)



RN 459447-73-5 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-74-6 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-75-7 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-ethyl-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-76-8 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-ethyl-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-77-9 USPATFULL

CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-78-0 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-79-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-80-4 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluoro-3-methylphenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-82-6 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(4-fluoro-3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-83-7 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RN 459447-84-8 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-(2-methyl-4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-88-2 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-2-methyl-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-89-3 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine-3-acetic acid, 6-[4-(4-fluorophenyl)-5-oxazolyl]-, ethyl ester (9CI) (CA INDEX NAME)



RN 459447-90-6 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(2-chlorophenyl)-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-91-7 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2-fluoro-5-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-92-8 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-3-(2-methylphenyl)- (9CI) (CA INDEX NAME)



RN 459447-93-9 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(2-fluorophenyl)-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-94-0 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridin-3-amine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-N,N-dimethyl- (9CI) (CA INDEX NAME)



RN 459447-95-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluoro-3-methylphenyl)-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RN 459447-96-2 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3-chloro-4-fluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-97-3 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3-fluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-98-4 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(2-chlorophenyl)-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459448-00-1 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3,4-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459448-01-2 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-2-methyl-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RN 459448-02-3 USPATFULL
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3-fluorophenyl)-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



L5 ANSWER 9 OF 9 USPAT2 on STN
ACCESSION NUMBER: 2003:140996 USPAT2
TITLE: Triazolo-pyridines anti-inflammatory compounds
INVENTOR(S): McClure, Kim F., Mystic, CT, United States
Letavic, Michael A., Mystic, CT, United States
Dombroski, Mark A., Waterford, CT, United States
Duplantier, Allen J., Ledyard, CT, United States
Laird, Ellen R., Longmont, CO, United States
PATENT ASSIGNEE(S): Pfizer Inc, New York, NY, United States (U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION:	US 6696464	B2	20040224
APPLICATION INFO.:	US 2002-94760		20020311 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2001-274840P	20010309 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: GRANTED
PRIMARY EXAMINER: Seaman, D. Margaret
LEGAL REPRESENTATIVE: Richardson, Peter C., Butterfield, Garth
NUMBER OF CLAIMS: 53
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 1 Drawing Figure(s); 1 Drawing Page(s)
LINE COUNT: 5301
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to novel triazolo-pyridines of the formula I ##STR1##

wherein Het is an optionally substituted 5-membered heterocycle containing one to two heteroatoms selected from nitrogen, sulfur and oxygen wherein at least one of said heteroatoms atoms must be nitrogen;

R.sup.2 is selected from the group consisting of hydrogen, (C.sub.1-C.sub.6)alkyl or other suitable substituents;

R.sup.3 is selected from the group consisting of hydrogen, (C.sub.1-C.sub.6)alkyl or other suitable substituents;

s is an integer from 0-5;

to intermediates for their preparation, to pharmaceutical compositions containing them and to their medicinal use. The compounds of the present invention are potent inhibitors of MAP kinases, preferably p38 kinase. They are useful in the treatment of inflammation, osteoarthritis, rheumatoid arthritis, cancer, repurfusion or ischemia in stroke or heart attack, autoimmune diseases and other disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **459447-61-1P**, 3-Isopropyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-64-4P**, 3-Ethyl-6-(4-m-tolyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-66-6P**, 3-Cyclopropyl-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-67-7P**, 3-Cyclobutyl-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-69-9P**, 3-Difluoromethyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-71-3P**, 3-(Isoxazol-5-yl)-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-72-4P**, 6-(4-Phenyloxazol-5-yl)-3-(2,2,2-trifluoroethyl)-[1,2,4]triazolo[4,3-a]pyridine **459447-73-5P**, 3-Cyclobutyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-74-6P**, 3-Cyclopropyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-75-7P**, 3-Ethyl-6-(4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-76-8P**, 3-Ethyl-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-77-9P**, 6-[4-(4-Fluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **459447-78-0P**, 3-Cyclobutyl-6-(4-m-tolyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-79-1P**, 3-Isopropyl-6-(4-m-tolyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-80-4P**, 6-[4-(4-Fluoro-3-methylphenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]pyridine **459447-82-6P**,

3-Cyclopropyl-6-[4-(4-fluoro-3-methylphenyl)oxazol-5-yl]-[1,2,4]triazolo[4,3-a]pyridine **459447-83-7P**, 6-[4-(4-Fluorophenyl)oxazol-5-yl]-3-phenyl-[1,2,4]triazolo[4,3-a]pyridine **459447-84-8P**, 3-Isopropyl-6-(2-methyl-4-phenyloxazol-5-yl)-[1,2,4]triazolo[4,3-a]pyridine **459447-88-2P**, 6-[4-(4-Fluorophenyl)-2-methyloxazol-5-yl]-3-isopropyl-[1,2,4]triazolo[4,3-a]-pyridine **459447-89-3P**, [6-[4-(4-Fluorophenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridin-3-yl]acetic acid ethyl ester **459447-90-6P**, 3-(2-Chlorophenyl)-6-[4-(m-tolyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459447-91-7P**, 6-[4-(2-Fluoro-5-methylphenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459447-92-8P** **459447-93-9P**, 3-(2-Fluorophenyl)-6-[4-(m-tolyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459447-94-0P**, [6-[4-(4-Fluorophenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridin-3-yl]dimethylamine **459447-95-1P**, 6-[4-(4-Fluoro-3-methylphenyl)oxazol-5-yl]-3-phenyl-[1,2,4]triazol[4,3-a]pyridine **459447-96-2P**, 6-[4-(3-Chloro-4-fluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine **459447-97-3P**, 6-[4-(3-Fluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine **459447-98-4P**, 3-(2-Chlorophenyl)-6-[4-(4-fluorophenyl)oxazol-5-yl]-[1,2,4]triazol[4,3-a]pyridine **459448-00-1P**, 6-[4-(3,4-Difluorophenyl)oxazol-5-yl]-3-isopropyl-[1,2,4]triazol[4,3-a]pyridine **459448-01-2P**, 6-[4-(4-Fluorophenyl)-2-methyloxazol-5-yl]-3-phenyl-[1,2,4]triazol[4,3-a]pyridine **459448-02-3P**, 6-[4-(3-Fluorophenyl)oxazol-5-yl]-3-phenyl-[1,2,4]triazol[4,3-a]pyridine
(anti-inflammatory agent; preparation of (phenylheterocyclyl)triazolopyridines as anti-inflammatory agents)

RN 459447-61-1 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-64-4 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-ethyl-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-66-6 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(4-fluorophenyl)-5-

oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-67-7 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-69-9 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(difluoromethyl)-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-71-3 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(5-isoxazolyl)-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-72-4 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-(4-phenyl-5-oxazolyl)-3-(2,2,2-trifluoroethyl)- (9CI) (CA INDEX NAME)



RN 459447-73-5 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-74-6 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-75-7 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-ethyl-6-(4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-76-8 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-ethyl-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-77-9 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-78-0 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclobutyl-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-79-1 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-80-4 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluoro-3-methylphenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-82-6 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-cyclopropyl-6-[4-(4-fluoro-3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-83-7 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RN 459447-84-8 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(1-methylethyl)-6-(2-methyl-4-phenyl-5-oxazolyl)- (9CI) (CA INDEX NAME)



RN 459447-88-2 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-2-methyl-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-89-3 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine-3-acetic acid, 6-[4-(4-fluorophenyl)-5-oxazolyl]-, ethyl ester (9CI) (CA INDEX NAME)



RN 459447-90-6 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(2-chlorophenyl)-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-91-7 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(2-fluoro-5-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-92-8 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-3-(2-methylphenyl)- (9CI) (CA INDEX NAME)



RN 459447-93-9 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(2-fluorophenyl)-6-[4-(3-methylphenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459447-94-0 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridin-3-amine, 6-[4-(4-fluorophenyl)-5-oxazolyl]-N,N-dimethyl- (9CI) (CA INDEX NAME)



RN 459447-95-1 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluoro-3-methylphenyl)-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RN 459447-96-2 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3-chloro-4-fluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-97-3 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3-fluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459447-98-4 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 3-(2-chlorophenyl)-6-[4-(4-fluorophenyl)-5-oxazolyl]- (9CI) (CA INDEX NAME)



RN 459448-00-1 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3,4-difluorophenyl)-5-oxazolyl]-3-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 459448-01-2 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(4-fluorophenyl)-2-methyl-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



RN 459448-02-3 USPAT2
CN 1,2,4-Triazolo[4,3-a]pyridine, 6-[4-(3-fluorophenyl)-5-oxazolyl]-3-phenyl- (9CI) (CA INDEX NAME)



=>